Author Index

Abatangelo, G see Benedetti, L, 1154
Abe, Y see Nagase, M, 1039
Akamine, A see Yoshimine, Y, 403
Alatli-Kut, I see Li, J, 1186
Albrektsson, T see Sennerby, L, 156
Albustany, K R see Sasanaluckit, P, 906
Ali, S A M, Zhong, S-P, Doherty, P J and Williams, D F, The mechanisms of polymer degradation in implantable devices: I. Poly(caprolactone), 648
Alkhamis, T M, Beissinger, R L and Chediak, J R, Effect of hirudin on platelet deposition to an artificial surface during low-stress shear flow of whole blood, 865
Allen, G C see Sutherland, D S, 893
Alvergna, P see Arciola, C R, 1161
Ambrosio, L see Netti, P A, 1098
van Andel, M V see Bruin, P, 1089
Ankol, S see Sintov, A, 483
Anselme, K, Flautre, B, Hardouin, P, Chanavaz, M, Ustariz, C and Vert, M, Fate of bioresorbable poly(lactic acid) microbeads implanted in artificial bone defects for cortical bone augmentation in dog mandible, 44
Antoh, M see Kawakami, T, 575
Apicella, A, Capello, B, Del Nobile, M A, La Rotonda, M I, Mensitieri, G and Nicolais, L, Poly(ethylene oxide) (PEO) and different molecular weight PEO blends monolithic devices for drug release, 83
Aponte, M A see Ruiz, E M, 491
Arciola, C R, Radin, L, Alvergna, P, Cenni, E and Pizzoferrato, A, Heparin surface treatment of poly(methyl methacrylate) alters adhesion of a staphylococcus aureus strain: utility of bacterial fatty acid analysis, 1161
Arıca, M Y and Hasırcı, V, Bioreactor applications of glucose oxidase covalently bonded on pHEMA membranes, 803
Arıca, M Y and Hasırcı, V, Glucose oxidase sandwiched between pHEMA layers: a continuous flow reactor application, 809
Arshady, R, Microspheres for biomedical applications: preparation of reactive and labelled microspheres, 5
Asano, M, Yoshida, M, Omichi, H, Mashimo, T, Okabe, K, Yuasa, H, Yamanaka, H, Morimoto, S, Sakakibara, H, Biodegradable poly(DL-lactic acid) formulations in a calcitonin delivery system, 797
Aspenberg, P see Goodman, S B, 563
Atkins, T W, McCallion, R L and Tighe, B J, Incorporation and release of fluorescein isothiocyanate linked dextrans from a bead formed macroporous hydrophilic matrix with potential for sustained release, 16
Atkinson, M see Meyer, U, 917
Autefage, A see Frayssinet, P, 423
Azimus, E see Frayssinet, P, 423

Badiger, M V, McNeill, M E and Graham, N B, Porogens in the preparation of microporous hydrogels based on poly(ethylene oxides), 1059
Baguet, J, Sommer, F and Duc, T M, Imaging surfaces of hydrophilic contact lenses with the atomic force microscope, 279
Bakker, D see Beumeru, G J, 598
Baquey, C see Dion, I, 107
Baquey, C see Dion, I, 122
Baquey, Ch see Dion, I, 169
Baquey, Ch see Dion, I, 712
Barbosa-Cánovas, G V see Ruiz, E M, 491
Barckhaus, R H see Meyer, U, 917
Barton, A J see Pitt, W G, 605
Baslé, M-F see Chappard, D, 507
Batt, M see Guidoin, R, 678
Bay, B see Martin, R B, 341
Beatty, M W and Pidaparti, R M V, Elastic and fracture properties of dental direct filling materials, 999
Beissinger, R L see Alkhamis, T M, 865
Bélanger, A Y see Marois, Y, 255
Bellardini, M see Muzzarelli, R A A, 39
Bendix, D R see Pistner, H,
Benedetti, L see Campoccia, D, 1135
Benedetti, L, Cortivo, R, Berti, T, Pea, F, Mazzo, M, Moras, M and Abatangelo, G, Biocompatibility and biodegradation of different hyaluronan derivation (Hyaff) implanted in rats, 1154
Benoit, J P see Menei, P, 470
Berthod, F, Hayek, D, Damour, O and Collombel, C, Collagen synthesis by fibroblasts cultured within a collagen sponge, 749
Berti, T see Benedetti, LO, 1154
Beumeru, G J, van Blitterswijk, C A, Bakker, D and Ponec, M, Cell-seeding and in vitro biocompatibility evaluation of polymeric matrices of PEO/PBT copolymers and PLLA, 598
Biagini, G see Muzzarelli, R A A, 39
Biagini, G see Muzzarelli, R A A, 925
Biehl, V see Breme, J, 887
Billington, R W see Williams, J A, 551
Bizios, R see Puleo, D A, 111
Black, J see Kapur, R, 854
Blazka, S see James, S P, 643
de Bleyser, J see Peschier, L J C, 945
de Blieck-Hogervorst, J M A see Verheyen, C C P M, 383
van Blitterswijk, C A see Beumeru, G J, 598
Blunn, G W see Ejim, O S, 743
Boeree, N R, Dove, J, Cooper, J J, Knowles, J and Hastings, G W, Development of a degradable composite for orthopaedic use: mechanical evaluation of an hydroxyapatite-polyhydroxybutyrate composite materials, 793
Boivin, G see Serre, C M, 97
Bonfield, W see Guilda, F J, 985
Bonfield, W see Netti, P A, 1098
Bouwstra, J A see Peschier, L J C, 945
Bozio, R see Lora, S, 430
Braden, M see Okpojo, A O, 21
Braden, M see Rodford, R A, 781
Bragdon, C R see James, S P, 643
Breme, J, Biehl, V, Schulte, W, d'Hoedt, B and Donath, K, Development and functionality of iseolastic dental implants of titanium alloys, 887
Brener, R see Hazan, R, 570
Bridgett, M J, Davies, M C, Denyer, S P and Eldridge, P R, In vitro assessment of bacterial adhesion to Hydromer(R)-coated cerebrospinal fluid shunts, 184
Brouillard, M see Menei, P, 470
Brown, I T see Sutherland, D S, 893
Brown, R A see Ejim, O S, 743
Bruin, P, Meeuwsen, E A J, van Andel, M V, Worst, J G F and Pennings, A J, Autoclavable highly cross-linked polyurethane networks in ophthalmology, 1089
Bundy, K J, Dillard, J and Luedemann, R, The use of AC impedance methods to study the corrosion behaviour of implant alloys, 529
Busscher, H J see Neu, T R, 459
Butterfield, D E see Tan, J S, 823

Caix, J see Dion, I, 712
Caldwell, K D see Tan, J S, 823
Caliceti, P see Lora, S, 430
Callegaro, L see Campoccia, D, 1135
Campoccia, D, Hunt, J A, Doherty, P J, Zhong, S P, Callegaro, L, Benedetti, L and Williams, D F, Human neutrophil chemokinesis and polarization induced by hyaluronic acid derivatives, 1135
Candela, I see Carrera San Martin, A, 76
Cao, Y see Zyman, Z, 1140
capello, B see Apicella, A, 83
Capper, M see Oni, O O A, 1036
Capper, M, Soutis, C and Oni, O O A, Pin hole shear stresses generated by conical and standard external fixation pins, 876
Carreno, M P see Montdargent, B, 203
Carrera San Martin, A, Garcia Paez, J M, Jorge-Herrero, E, Millan, I, Navidad, R, Garcia Sestafe, J V, Candela, I and Castillo-Olivares, Behaviour of the bonvine pericardium used in cardiac bioprostheses when subjected to a real fatigue assay, 76
Castaldini, C see Muzzarelli, R A A, 39
Castaldini, C see Muzzarelli, R A A, 925
Castillo-Olivares, J L see Carrera San Martin, A, 76
Castner, D G see Ratner, B D, 148
Cattaneo, S see Pazzaglia, U E, 883
Cavedagna, D see Cenni, E, 588
Cenni, E see Ciapetti, G, 359
Cenni, E see Savarino, L, 900
Cenni, E see Arciola, C R, 1161
Cenni, E, Cavedagna, D, Falsone, G, Mari, G and Pizzoferrato, A, Numerical and functional modifications in platelets induced by polyester coated by a hydrophilic polymer, 588
Chakfé, N see Guidoin, R, 678
Chakfé, N see Guidoin, R, 694
Chanavaz, M see Anselme, K, 44
Chandy, T and Sharma, C P, Chitosan matrix for oral sustained delivery of ampicillin, 939
Chang, P C-T see Hsiue, G-H, 591
Chapman, M W see Martin, R B, 341
Chappard, D, Fressonnet, C, Genty, C, Baslé, M-F and Rebel, A, Fat in bone xenografts: importance of the purification procedures on cleanliness, wettability and biocompatibility, 507
Chaput, C see Marois, Y, 255
Chavassieux, P see Serre, C M, 97
Chediak, J R see Alkhamis, T M, 865
Chen, Y-C see Chirila, T V, 26
Cheng, Y Y, Hui, O L and Ladizesky, N H, Processing shrinkage of heat curing acrylic resin reinforced with high performance polyethylene fibre, 775
Cherubino, P see Pazzaglia, U E, 883
Chirila, T V, Constable, I J, Crawford, G J, Vijayasekaran, S, Thompson, D E, Chen, Y C and Fletcher, W A, Poly(2-hydroxyethyl methacrylate) sponges as implant materials: in vivo and in vitro evaluation of cellular invasion, 26
Chupov, V V see Platé, N A, 51
Ciapetti, G, Cenni, E, Pratelli, L and Pizzoferrato, A, In vitro evaluation of cell/biomaterial interaction by MTT assay, 359
Clarke, R L see Rodford, R A, 781
Cohn, D see Marom, G, 127
Collombel, C see Berthod, F, 749
Constable, I J see Chirila, T V, 26
Conte, U, Maggi, L, Torre, M L, Giunchedi, P and La Manna, A, Press-coated tablets for time-programmed release of drugs, 1017
Cooper, J J see Boeree, N R, 793
Cooper, S L see Hergenrother, R W, 449
Cooper, S L see Lim, F, 537
Cooper, S L see Ko, T-M, 657
Cooper, S L see Silver, J H, 834
Corkhill, P H see Oxley, H R, 1064
Cortivo, R see Benedetti, L, 1154
Crawford, G J see Chirila, T V, 26
Cuckler, J M see Topoleski, L D T, 1165

Dabrowski, Z see Niedźwiedzki, T, 115
Dahlin, L B see Danielsen, N, 1180
Damour, O see Berthod, F, 749
Daniel, V see Menei, P, 470
Danielsen, N, Dahlin, L B and Thomsen, P, Inflammatory cells and mediators in the silicone chamber model for nerve regeneration, 1180
Davidson, C L see Venhoven, B A M, 871
Davidson, J A see Goodman, S B, 723
Davies, E H see Meikle, M C, 177
Davies, E H, Sefton, J and Wilson, A D, Preliminary study of factors affecting the fluoride release from glass-ionomer cements, 636
Davies, J E see Gomi, K, 91
Davies, J E see Rollason, G, 153
Davies, M C see Bridgett, M J, 184
Del Nobile, M A see Apicella, A, 83
Dennison, K A see Merrill, E W, 1117
Denyer, S P see Bridgett, M J, 184
Dhert, W J A see Verheyen, C C P M, 383
Dijk, F see Neu, T R, 459
Dillard, J see Bundy, K J, 529
Dion, I, Lahaye, M, Salmon, R, Baquey, C, Monties, J-R and Havlik, P, Blood haemolysis by ceramics, 107
Dion, I, Baquey, C, Monties, J-R and Havlik, P, Haemocompatibility of Ti6A14V titanium alloy, 122
Dion, I, Rouais, F, Trut, L, Baquey, Ch, Monties, J R and Havlik, P, TiN coating: surface characterization and hemocompatibility, 169
Dion, I, Roques, X, More, N, Labrousse, L, Caix, J, Lefebvre, F, Rouais, F, Gautreau, J, Baquey, Ch, *Ex vivo* leukocyte adhesion and protein adsorption on TiN, 712
Doherty, M J, Mollan, R A B and Wilson, D J, Effect of ethylene oxide sterilisation on human demineralised bone, 994
Doherty, P J see Ali, S A M, 648
Doherty, P J see Sasanaluckit, P, 906
Doherty, P J see Campoccia, D, 1135
Domard, A see Taravel, M N, 930
Donath, K see Breme, J, 887
Donati, M E see Savarino, L, 900
Dove, J see Boeree, N R, 793

© 1993 Butterworth-Heinemann Ltd
0142-9612/93/151191-10

Drader, J see Hirsch, D, 705
Draganova, M see Pavlova, M, 1024
Duc, T M see Baguet, J, 279
Ducheyne, P see Topoleski, L D T, 1165
Durall, R L see Graiver, D, 465

Eda, S see Kawakami, T, 575
Edelman, E R and Langer, R, Optimization of release from magnetically controlled polymeric drug release devices, 621
Eisa, T and Sefton, M V, Towards the preparation of a MMA-PEO block copolymer for the microencapsulation of mammalian cells, 755
Ejim, O S, Blunn, G W and Brown, R A, Production of artificial orientated mats and strands from plasma fibronectin: a morphological study, 743
Elam, J-H and Elam, M, Surface-modification of intravenous catheters to reduce local tissue reactions, 861
Elam, J-H, Karlsson, Ch and Nygren, H, Pre-adsorption of a cellulose ether onto polymer surfaces: adsorption of adhesins and platelet activation, 233
Elam, M see Elam, J-H, 861
Eldridge, P R see Bridgett, M J, 184
Elgendy, H M, Norman, M E, Keaton, A R and Laurencin, C T, Osteoblast-like cell (MC3T3-E1) proliferation on bioerodible polymers: an approach towards the development of a bone-bioerodible polymer composite material, 263
Esnouf, X see Gerlach, A, 770

Falsone, G see Cenni, E, 588
Feuerstein, I A and Sheppard, J I, States in adherent platelet morphology and the processing of adsorbed protein on biomaterials, 137
Fisher, M M see Wells, G D M, 615
Fitton, J H see Oxley, H R, 1064
Flauytre, B see Anselme, K, 44
Fletcher, W A see Chirila, T V, 26
Formgren, B see Pekna, M, 189
Formichi, M see Guidoin, R, 694
Fornasier, V L see Goodman, S B, 522
Fornasier, V L see Goodman, S B, 723
Forshaw, P D see Sutherland, D S, 893
Frank, R M see Robert, P, 353
Fratto, G see Muzzarelli, R A A, 39
Frayssinet, P, Trouillet, J L, Rouquet, N, Azimus, E and Autefage, A, Osseointegration of macroporous calcium phosphate ceramics having a different chemical composition, 423
Freij-Larsson, C see Paulsson, M, 845
Fressonnet, C see Chappard, D, 507
Fujimoto, K, Tadokoro, H, Ueda, Y and Ikada, Y, Polyurethane surface modification by graft polymerization of acrylamide for reduced protein adsorption and platelet adhesion, 442

Gabbi, C see Locardi, B, 437
Gallardo, A see Zaldivar, D, 1073
García Paez, J M see Carrera San Martin, A, 76
García Sestafe, J V see Carrera San Martin, A, 76
Gasser, B, Misteli, F and Mathys Jr, R, Biocompatibility of polyoxymethylene (Delrin®) in bone Letter to Editor, 1188
Gautreau, J see Dion, I, 712
de Gee, A J see Venhoven, B A M, 871
Gentry, C see Chappard, D, 507
Gerlach, A, Vincent, B, Lissac, M, Esnouf, X and Thollet, G, Distribution of zinc ions from orthophosphate cements at the cement-tooth interface in fixed dental prosthesis, 770
Gillquist, J see Messner, K, 163
Gillquist, J see Messner, K, 513
Giridhar, G, Gristina, A G and Myrvik, Q N, Altered oxidative responses and antibacterial activity of adult rabbit alveolar macrophages exposed to poly(methyl methacrylate), 609
Giunchedi, P see Conte, U, 1017
Goh, J C H see Teoh, S H, 407
Goh, K S see Tan, W M, 1003
Gomi, K, Lowenberg, B, Shapiro, G and Davies, J E, Resorption of sintered synthetic hydroxyapatite by osteoclasts *in vitro*, 91
Goodman, S B and Aspenberg, P, Effects of mechanical stimulation on the differentiation of hard tissues, 563
Goodman, S B, Magee, F P and Fornasier, V L, Radiological and histological study of aseptic loosening using a cemented tibial hemiarthroplasty in the rabbit knee, 522
Goodman, S B, Davidson, J A and Fornasier, V L, Histological reaction to titanium alloy and hydroxyapatite particles in the rabbit tibia, 723
Gosselin, C see Guidoin, R, 678
Gosselin, C see Guidoin, R, 694
Graham, N B see Badiger, M V, 1059
Graiver, D, Durall, R L and Okada, T, Surface morphology and friction coefficient of various types Foley catheters, 465
Gristina, A G see Giridhar, G, 609
de Groot, K see Verheyen, C C P M, 383
de Groot, K see Li, P, 963
de Groot, K see Yubao, Li, 969
Gualtieri, G see Pizzoferrato, A, 583
Guidoin, R see Marois, Y, 255
Guidoin, R, Chakfé, N, Maurel, S, How, T, Batt, M, Marois, M and Gosselin, C, Expanded polytetrafluorethylene arterial prostheses in humans: histopathological study of 298 surgically excised grafts, 678
Guidoin, R, Maurel, S, Chakfé, N, How, T, Zhang, Z, Therrien, M, Formichi, M and Gosselin, Expanded polytetrafluoroethylene arterial prostheses in humans: chemical analysis of 79 explanted specimens, 694
Guilda, F J and Bonfield, W, Predictive modelling of hydroxyapatite-polyethylene composite, 985
Gutwald, R see Pistner, H, 671
Guzelsu, N see Walsh, W R, 331

Hardouin, P see Anselme, K, 44
Harmand, M-F see Raif, E M, 978
Harris, W H see James, S P, 643
Hasegawa, H see Kawakami, T, 575
Hasırcı, V see Arıca, M Y, 803
Hasırcı, V see Arıca, M Y, 809
Hastings, G W see Boeree, N R, 793
Hastings, G, Peppas, N A and Langer, R S, Dedication to Professor Edward Wilson Merrill, 1115
Havlik, P see Dion, I, 107
Havlik, P see Dion, I, 122
Havlik, P see Dion, I, 169
Hayashi, K, Inadome, T, Tsumura, H, Mashima, T and Sugioka, Y, Bone-implant interface mechanics of in vivo bio-inert ceramics, 1173
Hayashi, T, Iizuka, Y, Oya, M and Iwatsuki, M, Biodegradation of random copolypeptide membranes consisting of *N*-hydroxzyalkyl L-glutamine as one component, 497
Hayek, D see Berthod, F, 749
Hazan, R, Brener, R and Oron, U, Bone growth to metal implants is regulated by their surface chemical properties, 570
Hegarty, A M and Pearson, G J, Erosion and compressive strength of hybrid glass ionomer cements when light activated or chemically set, 349
Hergenrother, R W, Wabers, H D and Cooper, S L, Effect of hard segment chemistry and strain on the stability of polyurethanes: *in vivo* biostability, 449
Hermansson, L see Li, J, 1186
Hirsch, D, Schoen, F J and Levy, R J, Effects of metallic ions and diphosphonates on inhibition of pericardial bioprosthetic tissue calcification and associated alkaline phosphatase activity, 371
Hirsch, D, Drader, J, Pathak, Y V, Yee, R, Schoen, F J and Levy, R J, Synergistic inhibition of calcification of glutaraldehyde pretreated bovine pericardium in rat subdermal model by $FeCl_3$ and ethanehydroxydiphosphonate: preincubation and polymeric controlled release studies, 705
d'Hoedt, B see Breme, J, 887
Hora, K see Šťastný, J, 1105
Hörmann, H see Schlosser, E, 365
How, T see Guidoin, R, 678
How, T see Guidoin, R, 694
Hron, P see Lopour, P, 1051
Hsiue, G-H, Lee, S-D, Wang, C-C, Shiue, M H-I and Chang, P C-T, ppHEMA-modified silicone rubber film towards improving rabbit corneal epithelial cell attachment and growth, 591
Hubbell, J A see Sawhney, A S, 1008
Hui, O L see Cheng, Y Y, 775
Hunt, J A see Campoccia, D, 1135
Hunt, J A, Van der Laan, J S, Schakenraad, J and Williams, D F, Quantitative *in vivo* assessment of the tissue response to dermal sheep collagen in abdominal wall defects, 378

Iizuka, Y see Hayashi, T, 497
Ikada, Y see Kinoshita, Y, 209
Ikada, Y see Fujimoto, K, 442
Ikada, Y see Kinoshita, Y, 546
Ikada, Y see Kinoshita, Y, 729
Ikada, Y see Kulik, E A, 763
Ikada, Y see Sano, S, 817
Ikada, Y see Matsuda, K, 1030
Ilare, P see Muzzarelli, R A A, 925
Illum, L see Norman, M E, 193
Imanishi, Y see Kashiwagi, T, 1145
Inadome, T see Hayashi, K, 1173
Isshiki, N see Matsuda, K, 1030
Ito, Y see Kashiwagi, T, 1145
Ivanchenko, M I see Kulik, E A, 763
Iwaki, M see Lee, J-S, 958
Iwatsuki, M see Hayashi, T, 497

James, S P, Blazka, S, Merrill, E W, Jasty, M, Lee, K R, Bragdon, C R and Harris, W H, A challenge to the concept that UHMWPE acetabular components oxidize in vivo, 643
Jasty, M see James, S P, 643
Ji, H and Marquis, P M, Effect of heat treatment on the microstructure of plasma-sprayed hydroxyapatite coating, 64
Ji, X see Weng, J, 578
Jones, D B see Meyer, U, 917
Jorge-Herrero, E see Carrera San Martin, A, 76
Jozefowicz, M see Montdargent, B, 203
Junginger, H E see Peschier, L J C, 945

Kaibara, M see Lee, J-S, 958
Kalëbo, P see Sennerby, L, 156
Kang, I-K, Kwon, B K, Lee, J H and Lee, H B, Immobilization of proteins on poly(methyl methacrylate) films, 787
Kapur, R, Lilien, J and Black, J, Field-dependent fibroblast orientation on charged surfaces is independent of polarity and adsorbed serum proteins, 854
Karlsson, Ch see Elam, J-H, 233
Kashiwagi, T, Ito, Y and Imanishi, Y, Non-thrombogenicity of organic polymers by blending with alkylamine-heparin complexes, 1145
Kato, K see Kulik, E A, 763
Kato, K see Sano, S, 817
Kawakami, T, Uji, H, Antoh, M, Hasegawa, H, Kise, T and Eda, S, Squalane as a possible carrier of bone morphogenetic protein 104/92, 575
Kazatchkine, M see Montdargent, B, 203
Keaton, A R see Elgendy, H M, 263
Khor, E see Tan, W M, 1003
Kimura, Y see Yoshimine, Y, 403
King, M W see Marois, Y, 255
Kinoshita, Y, Kuzahara, T, Kirigakubo, M, Kobayashi, M, Shimura, K and Ikada, Y, Soft tissue reaction to collagen-immobilized porous polyethylene: subcutaneous implantation in rats for 20 wk, 209
Kinoshita, Y, Kuzuhara, T, Kirigakubo, M, Kobayashi, M, Shimura, K and Ikada, Y, Reduction in tumour formation on porous polyethylene by collagen immobilization, 546
Kinoshita, Y, Kirigakubo, M, Kobayashi, M., Tabata, T, Shimura, K and Ikada, Y, Study on the efficacy of biodegradable poly(L-lactide) mesh for supporting transplanted particulate cancellous bone & marrow: experiment involving subcutaneous implantation in dogs, 729
Kirigakubo, M see Kinoshita, Y, 209
Kirigakubo, M see Kinoshita, Y, 546
Kirigakubo, M see Kinoshita, Y, 729
Kise, T see Kawakami, T, 575
Kitsugi, T, Yamamuro, T, Nakamura, T, Kotani, S, Kokubo, T and Takeuchi, H, Four calciumphosphate ceramics as bone substitutes for non-weight-bearing, 216
Klein, C P A T see Yubao, Li, 969
Knowles, J see Boeree, N R, 793
Ko, T-M, Lin, J-C and Cooper, S L, Surface characteristization and platelet adhesion studies of plasma-sulfonated polyethylene, 657
Kobayashi, M see Kinoshita, Y, 209
Kobayashi, M see Kinoshita, Y, 546
Kobayashi, M see Kinoshita, Y, 729
Kober, M see Paulsson, M, 845
Kodama, M see Mathew, J, 57
Kohri, M, Miki, K, Waite, D E, Nakajima, H and Okabe, T, *In vitro* stability of biphasic calcium phosphate ceramics, 299
Kokubo, T see Kitsugi, T, 216
Kokubo, T see Li, P, 963

Konstantinov, Chr I see Zacharieva, E I, 953
Kopeček, J, Professor Otto Wichterle's 80th birthday, 1043
Kotani, S see Kitsugi, T, 216
Kulik, E A, Kato, K, Ivanchenko, M I and Ikada, Y, Trypsin immobilization onto polymer surface through grafted layer and its reaction with inhibitors, 763
Kusakabe, M see Lee, J-S, 958
Kuzahara, T see Kinoshita, Y, 209
Kuzuhara, T see Kinoshita, Y, 546
Kwon, B K see Kang, I-K, 787

La Manna, A see Conte, U, 1017
La Rotonda, M I see Apicella, A, 83
Labarre, D see Montdargent, B, 203
Labarre, D see Pascual, M, 665
Labrousse, L see Dion, I, 712
Ladizesky, N H see Cheng, Y Y, 775
Lahaye, M see Dion, I, 107
Langer, R S see Hastings, G, 1115
Langer, R see Wald, H L, 270
Langer, R see Mikos, A G, 323
Langer, R see Edelman, E R, Larsson, R see Pekna, M, 189
Laurencin, C T see Elgendy, H M, 263
Leach-Scampavia, D see Ratner, B D, 148
Lee, H B see Kang, I-K, 787
Lee, J H see Kang, I-K, 787
Lee, J-S, Kaibara, M, Iwaki, M, Sasabe, H, Suzuki, Y and Kusakabe, M, Selective adhesion and proliferation of cells on ion-implanted polymer domains, 958
Lee, K R see James, S P, 643
Lee, S-D see Hsiue, G-H, 591
Lefebvre, F see Dion, I, 712
Leite, S M see Mikos, A G, 323
Levy, D P see Sintov, A, 483
Levy, R J see Hirsch, D, 371
Levy, R J see Hirsch, D, 705
Leyte, J C see Peschier, L J C, 945
Li, J T see Tan, J S, 823
Li, J, Alatli-Kut, I and Hermansson, L, High-strength dental gypsum prepared by cold isostatic pressing, 1186
Li, Jianguo, Behaviour of titanium and titani-based ceramics *in vitro* and *in vivo*, 229
Li, P, Nakanishi, K, Kokubo, T and de Groot, K, Induction and morphology of hydroxyapatite precipitated from metastable simulated body fluids on sol-gel prepared silica, 963
Lilien, J see Kapur, R, 854
Lim, F, Yu, X-H and Cooper, S L, Effects of oligoethylene-oxide monoalkyl (aryl) alcohol ether grafting on the surface properties and blood compatibility of a polyurethane, 537
Lin, H-B see Silver, J H, 834
Lin, J-C see Ko, T-M, 657
Linder, L see Ohlin, A, 285
Lissac, M see Gerlch, A, 770
Liu, Shu Qiu see Mathew, J, 57
Liu, X see Zyman, Z, 225
Liu, X see Weng, J, 578
Ljungh, Å see Paulsson, M, 845
Locardi, B, Pazzaglia, U E, Gabbi, C and Profilo, B, Thermal ' of hydroxyapatite intended for medical applications, 437
Lohmander, L S see Messner, K, Loke, W K see Tan, W M, 1003
Lopour, P, Plichta, Z, Volfova, Z, Hron, P and Vondracek, P, Silicone rubber – hydrogen composites as polymeric biomaterials IV: silicone matrix – hydrogel filler interaction and mechanical properties, 1051
Lora, S, Palma, G, Bozio, R, Caliceti, P and Pezzin, G, Polyphosphazenes as biomaterials: surface modification of poly[bis(trifluoro-ethoxy)phosphazene] with polyethylene glycols, 430
Lowenberg, B see Gomi, K, 91
Luedemann, R see Bundy, K J, 529
Lyman, M D see Wald, H L, 270

Ma, Z see Zyman, Z, 225
Ma, Z see Weng, J, 578
Maeda, K see Yoshimine, Y, 403
Magee, F P see Goodman, S B, 522
Maggi, L see Conte, U, 1017
Maillet, F see Montdargent, B, 203
Mak, W-Y see Meikle, M C, 177
Makishima, T see Yoshimine, Y, 403
Manninen, M J and Pohjonen, T, Intramedullary nailing of the cortical bone osteotomies in rabbits with self-reinforced poly-L-lactide rods manufactured by the fibrillation method, 305
Mari, G see Cenni, E, 588
Marois, M see Guidoin, R, 678
Marois, Y, Roy, R, Vidovszky, T, King, M W, Belanger, A Y, Chaput, C and Guidoin, R, Histopathological and immunological investigations of synthetic fibres and structures used in three prosthetic anterior cruciate ligaments: *in vivo* study in the rat, 255
Marom, G, Reuveni, A and Cohn, D, Stiffness variability and stress-dependent elastic response of synthetic fibre-reinforced composites for biomedical applications, 127
Márquez, F, Quintana, E, Roca, I and Salgado, J, Physical-mechanical effects of Nd:YAG laser on the surface of sound dental enamel, 313
Marquis, P M see Ji, H, 64
Martin, R B, Chapman, M W, Sharkey, N A, Zissimos, S L, Bay, B and Shors, E C, Bone ingrowth and mechanical properties of coralline hydroxyapatite 1 yr after implantation, 341
Mashima, T see Hayashi, K, 1173
Mashimo, T see Asano, M, 797
Mathew, J, Liu, Shu Qiu and Kodama, M, Study of blood compatible polymers III. Copolymers of *N*-benzyl, *N*-(2-hydroxyethyl) acrylamide and 2-hydroxyethyl methacrylate, 57
Mathys Jr, R see Gasser, B, 1188
Matsuda, K, Suzuki, S, Isshiki, N and Ikada, Y, Re-freeze dried bilayer artificial skin, 1030
Matsukura, M see Yoshimine, Y, 403
Mattioli Belmonte, M see Muzzarelli, R A A, 925
Matton, G see Vanholder, R, 737
Mauduit, J see Robert, P, 353
Maurel, S see Guidoin, R, 678
Maurel, S see Guidoin, R, 694
Mazzo, M see Benedetti, L, 1154
McBride, M O see Pitt, W G, 605
McCallion, R L see Atkins, T W, 16
McNeill, M E see Badiger, M V, 1059
Meeuwsen, E A J see Bruin, P, 1089
Meikle, M C, Mak, W-Y, Papaioannou, S, Davies, E H, Mordan, N and Reynolds, J J, Bone-derived growth factor release from poly (α-hydroxy-acid) implants *in vitro*, 177
Menei, P, Daniel, V, Montero-Menei, C, Brouillard, M, Pouplard-Barthelaix, A and Benoit, J P, Biodegradation and brain tissue reaction to poly(D,L-lactide-co-glycolide) microspheres, 470
Mensitieri, G see Apicella, A, 83
Merrill, E W seeJames, S P, 643
Merrill, E W, Dennison, K A and Sung, C, Partitioning and diffusion of solutes in hydrogels of poly(ethylene oxide), 1117
Messer, P F see Shareef, M Y, 69
Messner, K and Gillquist, J, Synthetic implants for the repair of osteochondral defects of the medial femoral condyle: a biomechanical and histological evaluation in the rabbit knee, 513
Messner, K, Lohmander, L S and Gillquist, J, Cartilage mechanics and morphology, synovitis and proteoglycan fragments in rabbit joint fluid after prosthetic meniscal substitution, 163
Meyer, U, Szulczewski, D H, Barckhaus, R H, Atkinson, M and Jones, D B, Biological evaluation of an ionomeric bone cement by osteoblast cell culture methods, 917
Miki, K see Kohri, M, 299
Mikos, A G see Wald, H L, 270
Mikos, A G, Sarakinos, G, Leite, S M, Vacanti, J P and Langer, R, Laminated three-dimensional biodegradable foams for use in tissue engineering, 323
Millán, I see Carrera San Martin, A, 76
Miller, J A see Richardson Jr, R R, Mirejovsky, D, Patel, A S and Young, G, Water properties of hydrogel contact lens materials: a possible predictive model for corneal desiccation staining, 1080
Misotten, A see Vanholder, R, 737
Misteli, F see Gasser, B, 1188
Miszta, H see Niedźwiedzki, T, 115
Mollan, R A B see Doherty, M J, 994
Montdargent, B see Pascual, M, 665
Montdargent, B, Maillet, F, Carreno, M P, Jozefowicz, M, Kazatchkine, M and Labarre, D, Regulation by sulfonate groups of complement activation induced by hydroxymethyl groups on polystyrene surfaces, 203
Montero-Menei, C see Menei, P, 470
Monties, J R see Dion, I, 169
Monties, J-R see Dion, I, 107
Monties, J-R see Dion, I, 122
Moras, M see Benedetti, L, 1154
Mordan, N see Meikle, M C, 177
More, N see Dion, I, 712
Morimoto, S see Asano, M, 797
Moroni, A see Savarino, L, 900
Mühling, J see Pistner, H, 291
Mühling, J see Pistner, H, 671
Mukai, M see Yoshimine, Y, 403
Mullins, W M see Tseng, Y-C, 392
Muzzarelli, R A A, Biagini, G, Bellardini, M, Simonelli, L, Castaldini, C and Fratto, G, Osteoconduction exerted by methyl pyrrolidinone chitosan used in dental surgery, 39
Muzzarelli, R A A, Zuccini, C, Ilare, P, Pugnaloni, A, Mattioli Belmonte, M, Biagini, G and Castaldini, C, Osteoconductive properties of methylpyrrolidinone chitosan in an animal model, 925
Myrvik, Q N see Giridhar, G, 609

Nagase, M and Abe, Y, Letter to the Editor: Toxicity of silica-containing phosphate glasses demonstrated in mice, 1039
Nakajima, H see Kohri, M, 299
Nakamura, T see Kitsugi, T, 216
Nakanishi, K see Li, P, 963
Navidad, R see Carrera San Martin, A, 76
Netti, P A, Shelton, J C, Revell, P A, Pirie, C, Smith, S, Ambrosio, L, Nicolais, L and Bonfield, Hydrogels as an interface between bone and an implant, 1098
Neu, T R, Van der Mei, H C, Busscher, H J, Dijk, F and Verkerke, G J, Biodeterioration of medical grade silicone rubber used for voice prostheses – a SEM study, 459
Nicolais, L see Apicella, A, 83
Nicolais, L see Netti, P A, 1098
Niedźwiedzki, T, Dabrowski, Z, Miszta, H and Pawlikowski, M, Bone healing after bone marrow stromal cell transplantation to the bone defect, 115
Nigrisoli, M see Pizzoferrato, A, 583
Nilsson, B see Pekna, M, 189
Nilsson, U R see Pekna, M, 189
van Noort, R see Shareef, M Y, 69
Norman, M E see Elgendy, H M, 263
Norman, M E, Williams, P and Illum, L, Influence of block copolymers on the adsorption of plasma proteins to microspheres, 193
Nygren, H see Elam, J-H, 233

Ohlin, A and Linder, L, Biocompatibility of polyoxymethylene (Delrin®) in bone, 285
Okabe, K see Asano, M, 797
Okabe, T see Kohri, M, 299
Okada, T see Graiver, D, 465
Okpojo, A O and Braden, M, Development of a novel audiological clinical material, 21
Omichi, H see Asano, M, 797
Oni, O O A see Capper, M, 876
Oni, O O A, Capper, M and Soutis, C, Bending stiffness of conical and standard external fixator pins, 1036
Ordung, R see Pistner, H, 671
Oron, U see Hazan, R, 570
Oxley, H R, Corkhill, P H, Fitton, J H and Tighe, B J, Macroporous hydrogels for biomedical applications: methodology and morphology, 1064
Oya, M see Hayashi, T, 497

Paganetto, G see Savarino, L, 900
Palma, G see Lora, S, 430
Papaioannou, S see Meikle, M C, 177
Papillard, M see Serre, C M, 97
Park, K see Tseng, Y-C, 392
Pascual, M, Plastre, O, Montdargent, B, Labarre, D and Schifferli, J A, Specific interactions of polystyrene biomaterials with factor D of human complement, 665
Patel, A S see Mirejovsky, D, 1080
Pathak, C P see Sawhney, A S, 1008
Pathak, Y V see Hirsch, D, 705
Paulsson, M, Kober, M, Freij-Larsson, C, Stollenwerk, M, Wesslén, B and Ljungh, Å, Adhesion to staphylococci to chemically modified and native polymers and the influence of preadsorbed fibronectin, vitronectin and fibrinogen, 845
Pavlova, M and Draganova, M, Biocompatible and biodgradable polyurethane polymers, 1024

Pawlikowski, M see Niedźwiedzki, T, 115
Pazzaglia, U E see Locardi, B, 437
Pazzaglia, U E, Zatti, G, Cattaneo, S and Cherubino, P, Evaluation of hollow and full stems implanted in the rabbit tibia: preliminary results, 883
Pea, F see Benedetti, L, 1154
Pearson, G J see Hegarty, A M, 349
Pearson, G J see Williams, J A, 551
Pekna, M, Larsson, R, Formgren, B, Nilsson, U R and Nilsson, B, Complement activation by polymethyl methacrylate minimized by end-point heparin attachment, 188
Penhoat, J, Sigot-Luizard, M F and Warocquier-Clérout, R, Prostacyclin secretion by human endothelial cells grown on carbodiimide crosslinked proteins: an assessment of the cyto-compatibility of a substratum, 503
Peniche, C see Zaldivar, D, 1073
Pennings, A J see Bruin, P, 1089
Peppas, N A see Hastings, G, 1115
Peschier, L J C, Bouwstra, J A, de Bleyser, J, Junginger, H E and Leyte, J C, Water mobility and structure in poly[2-hydroxyethyl-methacrylate] hydrogels by means of the pulsed-field gradient NMR technique, 945
Petit, P L C see Verheyen, C C P M, 383
Pezzin, G see Lora, S, 430
Piattelli, A and Trisi, P, Bone ingrowth into hydroxyapatite coating: a light microscopy and laser scanning microscopy study, 973
Pidaparti, R M V see Beatty, M W, 999
Pirie, C see Netti, P A, 1098
Pistner, H, Bendix, D R, Muhling, J and Reuther, J F, Poly(L-lactide): a long-term degradation study *in vivo* Part III: Analytical characterization, 291
Pistner, H, Gutwald, R, Ordung, R, Reuther, J and Muhling, J, Poly(L-lactide): a long-term degradation study *in vivo* I: Biological results, 671
Pitt, W G, McBride, M O, Barton, A J and Sagers, R D, Air–water interface displaces adsorbed bacteria, 605
Pizzoferrato, A see Ciapetti, G, 359
Pizzoferrato, A see Cenni, E, 588
Pizzoferrato, A see Savarino, L, 900
Pizzoferrato, A see Arciola, C R, 1161
Pizzoferrato, A, Stea, S, Sudanese, A, Toni, A, Nigrisoli, M, Gualtieri, G and Squarzoni, S, Morphometric and microanalytical analyses of alumina wear particles in hip prosthesis, 583
Plastre, O see Pascual, M, 665
Platé, N A, Valuev, L I, Valueva, T A and Chupov, V V, Biospecific hemosorbents based on proteinase inhibitor, 51
Plichta, Z see Lopour, P, 1051
Pohjonen, T see Manninen, M J, 305
Ponec, M see Beumeru, G J, 598
Poumarat, G and Squire, P, Comparison of mechanical properties of human, bovine bone and a new processed bone xenograft, 337
Pouplard-Barthelaix, A see Menei, P, 470
Pratelli, L see Ciapetti, G, 359
Preston, K E see Puleo, D A, 111
Profilo, B see Locardi, B, 437
Proulx, T L see Truskey, G A, 243
Pugnaloni, A see Muzzarelli, R A A, 925
Puleo, D A, Preston, K E, Shaffer, J B and Bizios, R, Examination of osteoblast-orthopaedic biomaterial interactions using molecular techniques, 111

Quintana, E see Márquez, F, 313

Radin, L see Arciola, C R, 1161
Raif, E M and Harmand, M-F, Molecular interface characterization in human bone matrix. I. Biochemical and IR spectroscopic studies, 978
Ramírez, C A see Ruiz, E M, 491
Ratner, B D, Leach-Scampavia, D and Castner, D G, ESCA surface characterization of four IUPAC reference polymers April 23-92-RL, 148
Rebel, A see Chappard, D, 507
Reichert, W M see Richardson Jr, R R, 627
van der Reijden, T J K see Verheyen, C C P M, 383
Reuther, J F see Pistner, H, 291
Reuther, J F see Pistner, H, 671
Reuveni, A see Marom, G, 127
Revell, P A see Netti, P A, 1098
Reynolds, J J see Meikle, M C, 177
Richardson Jr, R R, Miller, J A and Reichert, W M, Polyimides as biomaterials: preliminary biocompatibility testing, 627
Robert, P, Mauduit, J, Frank, R M and Vert, M, Biocompatibility and resorbability of a polylactic acid membrane for periodontal guided tissue regeneration, 353
Roca, I see Márquez, F, 313
Rodford, R A, Braden, M and Clarke, R L, Variation of Young's modulus with the test specimen's aspect ratio, 781
Roels, H see Vanholder, R, 737
Rollason, G, Davies, J E and Sefton, M V, Preliminary report on cell culture on a thermally reversible polymer, 153
Roques, X see Dion, I, 712
Rouais, F see Dion, I, 169
Rouais, F see Dion, I, 712
Rouquet, N see Frayssinet, P, 423
Roy, R see Marois, Y, 255
Rubinstein, A see Sintov, A, 483
Ruiz, E M, Ramírez, C A, Aponte, M A and Barbosa-Cánovas, G V, Degradation of poly[bis(glycine ethyl ester)phosphazene] in aqueous media, 491

Sagers, R D see Pitt, W G, 605
Sakakibara, H see Asano, M, 797
Salgado, J see Márquez, F, 313
Salmon, R see Dion, I, 107
San Roman, J see Zaldivar, D, 1073
Sano, S, Kato, K and Ikada, Y, Introduction of functional groups onto the surface of polyethylene for protein immobilization, 817
Sarakinos, G see Wald, H L, 270
Sarakinos, G see Mikos, A G, 323
Sasabe, H see Lee, J-S, 958
Sasanaluckit, P, Albustany, K R, Doherty, P J and Williams, D F, Biocompatibility of glass ionomer cements, 906
Savarino, L, Cenni, E, Stea, S, Donati, M E, Paganetto, G, Moroni, A, Toni, A and Pizzoferrato, A, X-Ray diffraction of newly formed bone close to alumina or hydroxyapatite coated femoral stem, 900
Sawhney, A S, Pathak, C P and Hubbell, J A, Interfacial photopolymerization of poly(ethylene glycol)-based hydrogels upon alginate-poly(*l*-lysine) microcapsules for enhanced biocompatibility, 1008
Schakenraad, J see Hunt, J A, 378
Schifferli, J A see Pascual, M, 665
Schlosser, E, Simler, R and Hormann, H, Retention of thrombin by polytetrafluoroethylene: influence on the adsorption of fibrinogen/fibrin, 365
Schoen, F J see Hirsch, D, 371
Schoen, F J see Hirsch, D, 705
Schulte, W see Breme, J, 887
Seah, W K H see Teoh, S H, 407
Sefton, M V see Davies, E H, 636
Sefton, M V see Rollason, G, 153
Sefton, M V see Wells, G D M, 615
Sefton, M V see Eisa, T, 755
Sefton, M V, The good, the bad and the obvious: 1993 Clemson Award for Basic Research Keynote Lecture, 1127
Sennerby, L and Thomsen, P, Tissue response to titanium implants in experimental antigen-induced arthritis, 413
Sennerby, L, Kalëbo, P, Thomsen, P and Albrektsson, T, Influence of indomethacin on the regeneration of cortical bone within titanium implants in rabbits, 156
Serre, C M, Papillard, M, Chavassieux, P and Boivin, G, In vitro induction of a calcifying matrix by biomaterials constituted of collagen and/or hydroxyapatite: an ultrastructural comparison of three types of biomaterials, 97
Shaffer, J B see Puleo, D A, 111
Shapiro, G see Gomi, K, 91
Shareef, M Y, Messer, P F and van Noort, R, Fabrication, characterization and fracture study of a machineable hydroxyapatite ceramic, 69
Sharkey, N A see Martin, R B, 341
Sharma, C P see Chandy, T, 939
Shelton, J C see Netti, P A, 1098
Sheppard, J I see Feuerstein, I A, 137
Shimura, K see Kinoshita, Y, 209
Shimura, K see Kinoshita, Y, 546
Shimura, K see Kinoshita, Y, 729
Shiue, M H-I see Hsiue, G-H, 591
Shors, E C see Martin, R B, 341
Sigot-Luizard, M F see Penhoat, J, 503
Silver, J H, Lin, H-B and Cooper, S L, Effect of protein adsorption on the blood-contacting response of sulfonated polyurethanes, 834
Simler, R see Schlosser, E, 365
Simonelli, L see Muzzarelli, R A A, 39
Sintov, A, Ankol, S, Levy, D P and Rubinstein, A, Enzymatgic cleavage of disaccharide side groups in insoluble synthetic polymers: a new method for specific delivery of drugs to the colon, 483
Smetana Jr, K, Cell biology of hydrogels, 1046
Smith, S see Netti, P A, 1098
Sommer, F see Baguet, J, 279
Soutis, C see Capper, M, 876
Soutis, C see Oni, O O A, 1036
Squarzoni, S see Pizzoferrato, A, 583
Squire, P see Poumarat, G, 337
Šťastný, J, Hora, K and Štol, M, Preliminary report on use of p[HEMA]-collagen composite in maxillo-facial surgery, 1105
Stea, S see Pizzoferrato, A, 583
Stea, S see Savarino, L, 900
Štol, M see Kopeček, J, 1043
Štol, M see Šťastný, J, 1105
Štol, M see Zavřel,, V, 1109
Stollenwerk, M see Paulsson, M, 845
Sudanese, A see Pizzoferrato, A, 583
Sugioka, Y see Hayashi, K, 1173
Sung, C see Merrill, E W, 1117
Sutherland, D S, Forshaw, P D, allen, G C, Brown, I T and Williams, K R, Surface analysis of titanium implants, 893
Suzuki, S see Matsuda, K, 1030
Suzuki, Y see Lee, J-S, 958
Szulczewski, D H see Meyer, U, 917

Tabata, T see Kinoshita, Y, 729
Tadokoro, H see Fujimoto, K, 442
Takeuchi, H see Kitsugi, T, 216
Tan, B L see Tan, W M, 1003
Tan, J S, Butterfield, D E, Voycheck, C L, Caldwell, K D and Li, J T, Surface modification of nanoparticles by PEO/PPO block copolymers to minimize interactions with blood components and prolong blood circulation in rats, 823
Tan, W M, Loke, W K, Tan, B L, Wee, A, Khor, E and Goh, K S, Trivalent metal ions in the prevention of calcification in glutaraldehyde treated biological tissues. Is there a chemical correlation?, 1003
Taravel, M N and Domard, A, Relation between the physicochemical characteristics of collagen and its interactions with chitosan: I, 930
Teoh, S H, Effect of saline solution on creep fracture of Delrin®, 132
Teoh, S H, Thampuran, R, Seah, W K H and Goh, J C H, Effect of pore sizes and cholesterol-lipid solution on the fracture toughness of pure titanium sintered compacts, 407
Thampuran, R see Teoh, S H, 407
Therrien, M see Guidoin, R, 694
Thollet, G see Gerlach, A, 770
Thompson, D E Chirila, T V, 26
Thomsen, P see Sennerby, L, 156
Thomsen, P see Sennerby, L, 413
Thomsen, P see Danielsen, N, 1180
Tighe, B J see Atkins, T W, 16
Tighe, B J see Oxley, H R, 1064
Toni, A see Pizzoferrato, A, 583
Toni, A see Savarino, L, 900
Topoleski, L D T, Ducheyne, P and Cuckler, J M, Microstructural pathway of fracture in poly(methyl methacrylate) bone cement, 1165
Torre, M L see Conte, U, 1017
Trisi, P see Piattelli, A, 973
Trouillet, J L see Frayssinet, P, 423
Truskey, G A and Proulx, T L, Relationship between 3T3 cell spreading and the strength of adhesion on glass and silane surfaces, 243
Trut, Y-C, see Dion, I, 169
Tseng, Y-C, Mullins, W M and Park, K, Albumin grafting onto polypropylene by thermal activation, 392
Tsumura, H see Hayashi, K, 1173

Ueda, Y see Fujimoto, K, 442
Uji, H see Kawakami, T, 575
Ustariz, C see Anselme, K, 44

Vacanti, J P see Wald, H L, 270
Vacanti, J P see Mikos, A G, 323
Valuev, L I see Platé, N A, 51
Valueva, T A see Platé, N A, 51
Van der Laan, J S see Hunt, J A, 378

Van der Mei, H C see Neu, T R, 459
Vanholder, R, Misotten, A, Roels, H and Matton, G, Cyanoacrylate tissue adhesive for closing skin wounds: a double blind randomized comparison with sutures, 737
Venhoven, B A M, de Gee, A J and Davidson, C L, Polymerization contraction and conversion of light-curing BisGMA-based methacrylate resins, 871
Verheyen, C C P M, Dhert, W J A, de Blieck-Hogervorst, J M A, van der Reijden, T J K, Petit, P L C and de Groot, K, Adherence to a metal, polymer and composite by *Staphylococcus aureus* and *Staphylococcus epidermidis*, 383
Verkerke, G J see Neu, T R, 459
Vert, M see Anselme, K, 44
Vert, M see Robert, P, 353
Vidovszky, T see Marios, Y, 255
Vijayasekaran, S see Chirila, T V, 26
Vincent, B see Gerlach, A, 770
Volfová, Z see Lopour, P, 1051
Vondráček, P see Lopour, P, 1051
Voycheck, C L see Tan, J S, 823

Wabers, H D see Hergenrother, R W, 449
Waite, D E see Kohri, M, 299
Wald, H L, Sarakinos, G, Lyman, M D, Mikos, A G, Vacanti, J P and Langer, R, Cell seeding in porous transplantation devices, 270
Walsh, W R and Guzelsu, N, Ion concentration effects on bone streaming potentials and zeta potentials, 331
Wang, C-C see Hsiue, G-H, 591
Warocquier-Clérout, R see Penhoat, J, 503
Wee, A see Tan, W M, 1003
Wells, G D M, Fisher, M M and Sefton, M V, Microencapsulation of viable hepatocytes in HEMA-MMA microcapsules: a preliminary study, 615
Weng, J see Zyman, Z, 225
Weng, J, Liu, X, Zhang, X, Ma, Z, Ji, X and Zyman, Z, Further studies on the plasma-sprayed amorphous phase in hydroxyapatite coatings and its deamorphization, 578
Wesslén, B see Paulsson, M, 845
Williams, D F see Hunt, J A, 378
Williams, D F see Ali, S A M, 648
Williams, D F see Sasanaluckit, P, 906
Williams, D F see Campoccia, D, 1135
Williams J A, Billington, R W and Pearson, G J, Lactic acid jet test: *in vitro* erosion rates of glass ionomer dental cements containing radiopacifying elements, 551
Williams, K R see Sutherland, D S, 893
Williams, P see Norman, M E, 193
Wilson, A D see Davies, E H, 636
Wilson, D J see Doherty, M J, 994
Woerly, S, Hydrogels for neural tissue reconstruction and transplantation, 1056
Worst, J G F see Bruin, P, 1089

Xingdong, Z see Yubao, Li, 969

Yamamuro, T see Kitsugi, T, 216
Yamanaka, H see Asano, M, 797
Yee, R see Hirsch, D, 705
Yoshida, M see Asano, M, 797
Yoshimine, Y, Akamine, A, Mukai, M, Maeda, K, Matsukura, M, Kimura, Y and Makishima, T, Biocompatibility of tetracalcium phosphate cement when used as a bone substitute, 403
Young, G see Mirejovsky, D, 1080
Yu, X-H see Lim, F, 537
Yuasa, H see Asano, M, 797
Yubao, Li, Klein, C P A T, Xingdong, Z and de Groot, K, Relationship between the colour change of hydroxyapatite and the trace manganese element, 969

Zacharieva, E I and Konstantinov, Chr I, Coated macroporous carriers with oxirane groups and their reactivity, 953
Zaldívar, D, Peniche, C, Gallardo, A and San Roman, J, Biocompatible hydrogels of controlled hydrophobicity from copolymers of *N*-vinyl-2-pyrrolidone and furfuryl methacrylate, 1073
Zatti, G see Pazzaglia, U E, 883
Zavřel, V and Štol, M, p(HEMA) composite as allografting material during therapy of peridontal disease: three case reports, 1109
Zhang, X see Weng, J, 578
Zhang, X see Zyman, Z, 1140
Zhang, X see Zyman, Z, 225
Zhang, X see Guidoin, R, 694
Zhong, S P see Campoccia, D, 1135
Zhong, S-P see Ali, S A M, 648
Zissimos, S L see Martin, R B, 341
Zucchini, C see Muzzarelli, R A A, 925
Zyman, Z see Weng, J, 578
Zyman, Z, Weng, J, Liu, X, Zhang, Z and Ma, Z, Amorphous phase and morphological structure of hydroxyapatite plasma coatings, 225
Zyman, Z, Cao, Y and Zhang, X, Periodic crystallization effect in the surface layers of coatings during plasma spraying of hydroxyapatite, 1140

Subject Index

abdominal wall
  collagen, image analysis, tissue repair, 378
acid phosphatase
  prosthetic ligaments, T-cell populations, polyethylene, 255
acrylamide
  polyethylene, surface graft polymerization, Hofmann degradation, alkaline hydrolysis, 817
adhesion
  biocompatibility, biodegradation, polyurethanes, wound dressings, 1024
adhesive
  wound closure, cyanoacrylate, 737
adsorption
  hydrogels, cell adhesion, 1046
albumin
  polytetrafluoroethylene, thrombin, fibrinogen, 365
  polypropylene, surface modification, thermal activation, 392
albumin gelatin
  prostacyclins, endothelial cells, 503
alkaline hydrolysis
  polyethylene, surface graft polymerization, acrylamide, Hofmann degradation, 817
alkaline phosphatase
  bovine pericardium, calcification, 371
alkylamine–heparin complexes
  in vitro non-thrombogenicity, *ex vivo* test, blend, coatings, 1145
allografting
  p(HEMA), composites, periodontal disease, 1109
alloys
  surgical implants, corrosion, 529
alumina
  hip joint prosthesis, wear, tissue reaction, 583
  prostheses, hydroxyapatite, mineralization, X-ray diffraction, 900
amorphous phase
  hydroxyapatite coating, plasma spraying, 1140
ampicillin
  chitosan beads, drug delivery, 939
antibiotic property
  macrophage activity, PMMA, 609
arthritis
  titanium, joint, morphology, 413
artificial bone
  bone-derived growth factors, poly(α-hydroxy acid), bone regeneration, 117
artificial skin
  collagen, wound dressings, freeze-dried, 1030
artificial surface
  platelet adhesion, platelet aggregation, hirudin, thrombin, 865
atomic force microscopy
  contact lenses, hydrogels, surface roughness, 279
bacteria
  bacterial adhesion, rinsing, polymer surfaces, 605
bacterial adhesion
  CSF shunt, staphylococci, silicone rubber, 184
  ceramics, hydroxyapatite, poly(L-lactide), 383
  bacteria, rinsing, polymer surfaces, 605
  poly(methyl methacrylate), heparinization, fatty acid methyl esters, 1161
bending stiffness
  external fixator pins, surgical implants, 1036
biocompatibility
  collagen immobilization, polyethylene, tissue adhesion, 209
  Delrin®, prostheses, hips, 285
  titanium, titania, stability, 229
  bone cement, tetracalcium phosphate, osteoconduction, 403
  polylactides, biodegradation, tumorigenesis, 671
  biodegradable polymers, skin substitute, cell culture, 598
  intravenous cannulae, thrombophlebitis, laser Doppler flowmeter, 861
  glass ionomer cements, 906
  microcapsules, poly(ethylene glycol), hydrogels, photopolymerization, 1008
  biodegradation, polyurethanes, adhesion, wound dressings, 1024
  hydrogels, hydrophobicity, 1073
  hyaluronan ester, biodegradation, 1154
biodegradable polymer
  cell transplantation, cell seeding, poly(L-lactic acid) device, 270
biodegradable polymers
  skin substitute, cell culture, biocompatibility, 598
  drug delivery, controlled release, poly[bis(glycine ethyl ester) phosphazene], 491
biodegradation
  polylactic acid, microbeads, bone fillers, 44
  poly(L-lactic acid), poly(DL-lactic co-glycolic acid), tissue engineering, 323
  poly(L-lactide), chromatography, 291
  poly(D,L-lactide-co-glycolide), microspheres, tissue reaction, 470
  voice prostheses, silicone rubber, yeast adhesion, 459
  polylactides, biocompatibility, tumorigenesis, 671
  drug delivery, β-glucosidases, polymer synthesis, 483
  DL-lactic acid, drug delivery, calcitonin analogue, 797
  biocompatibility, polyurethanes, adhesion, wound dressings, 1024
  hyaluronan ester, biocompatibility, 1154
biomaterials
  blood compatibility, polystyrene, complement activation, 665
biomembranes
  tissue regeneration, polylactic acid, resorption, 353
bioreactor
  glucose oxidase, pHEMA, immobilization, 809
biostability
  polyurethanes, hard segment, 449
blend
  alkylamine–heparin complexes, *in vitro* non-thrombogenicity, *ex vivo* test, coatings, 1145
block copolymer
  microencapsulation, polyethylene glycol, synthesis, 755
blood circulation half-life
  nanoparticles, polystyrene, copolymers, protein adsorption, 823
blood compatibility
  polyurethane copolymer, PEO grafting, surface analysis, 537
  biomaterials, polystyrene, complement activation, 665
blood conduit
  vascular prostheses, polytetrafluoroethylene, grafting, 694
blood–material interaction
  protein adsorption, sulphonated polyurethanes, 834
  coagulation proteins, platelets, 233
bonding
  coated carrier, methacrylate film, porous glass, 953
bone
  mechanical properties, xenograft, Young's modulus, 337
  electromechanical properties, 331
  grafting, implants, stereological procedure, bone morphometry, 507
  implants, prostheses, 883
  mineral content, collagen, 978
bone cement
  osteoblasts, 917
  tetracalcium phosphate, biocompatibility, osteoconduction, 403
bone fillers
  polylactic acid, microbeads, biodegradation, 44
bone formation
  hydroxyapatite, polyhydroxybutyrate, orthopaedic polymer, 793
bone graft

indomethacin, titanium implant, microradiography, 156
bone growth
enhancement, implants, 570
mechanical stimulation, fracture healing, tissue differentiation, 563
bone morphogenetic protein, squalane, osteoinduction, 575
chitosan, methylpyrrolidinone chitosan, osteoconduction, 925
bone implant
hydroxyapatite, plasma-sprayed coating, crystallization, 578
bone ingrowth
hydroxyapatite, coralline, mechanical properties, 341
bone morphogenetic protein
bone growth, squalane, osteoinduction, 575
bone morphometry
bone, grafting, implants, stereological procedure, 507
bone regeneration
dental materials, chitosan, 39
bone-derived growth factors, poly(α-hydroxy acid), artificial bone, 177
bone repair
osteoblast, hydroxyapatite, cell-polymer matrix, 263
bone-derived growth factors
poly(α-hydroxy acid), artificial bone, bone regeneration, 177
bone–material interactions
ceramics, implants, interface, 1173
bovine pericardium
fatigue, cardiac bioprostheses, 76
calcification, alkaline phosphatase, 371
bromelain
copolypeptide membrane, swelling, tensile properties, 497
calcification
collagen sponge, hydroxyapatite, osteoblasts, 97
bovine pericardium, alkaline phosphatase, 371
heart valves, pericardium, pre-incubation, controlled release study, 705
trivalent metal ions, glutaraldehyde fixation, 1003
calcitonin analogue
biodegradation, DL-lactic acid, drug delivery, 797
calcium phosphate
hydroxyapatite, ceramics, 216
calcium phosphates
ceramics, hydroxyapatite, 299
cardiac bioprostheses
fatigue, bovine pericardium, 76
cardiovascular devices
haemolysis, ceramic powders, left ventricular assist devices, 107
cartilage
polyester, polytetrafluoroethylene, mechanical properties, histology, 513
catheters
hydrophilic coating, surface analysis, friction testing, 465
cell adhesion
fibroblasts, fibronectin, cell spreading, 243
polymer surfaces, surface modification, fibronectin, 845
endothelial cells, polyurethanes, 958
hydrogels, adsorption, 1046
cell attachment
silicone rubber, HEMA, polymerization, ppHEMA, 591
cell culture
biodegradable polymers, skin substitute, biocompatibility, 598
cell growth
copolymerization, platelets, fibroblasts, 57
cell seeding
cell transplantation, biodegradable polymer, poly(L-lactic acid) device, 270
copolymer, critical solution temperature, 153
cell spreading
cell adhesion, fibroblasts, fibronectin, 243
cell transplantation
cell seeding, biodegradable polymer, poly(L-lactic acid) device, 270
osteogenesis, fracture healing, 115
cell–biomaterial interactions
cytotoxicity, MTT assay, 359
cell-polymer matrix
osteoblast, hydroxyapatite, bone repair, 263
cellular invasion
p(HEMA), ESEM, fibroblast/collagen attachment, 26
ceramic powders
haemolysis, cardiovascular devices, left ventricular assist devices, 107
ceramics
calcium phosphate, hydroxyapatite, 216
hydroxyapatite, calcium phosphates, 299
bacterial adhesion, hydroxyapatite, poly(L-lactide), 383
hydroxyapatite, tricalcium phosphate, osseointegration, 423
bone–material interactions, implants, interface, 1173
chemical hydrolysis
poly(caprolactone), free radicals, *in vivo* degradation, 648
chitosan
dental materials, bone regeneration, 39
bone growth, methylpyrrolidinone chitosan, osteoconduction, 925
collagen, spectroscopy, chromatography, 930
chitosan beads
drug delivery, ampicillin, 939
chromatography
poly(L-lactide), biodegradation, 291
chitosan, collagen, spectroscopy, 930
clinical application
ear polymers, ear mould, Otana, 21
clotting time
polyimides, cytotoxicity, protein adsorption, haemolysis, 627
coagulation proteins
blood–material interactions, platelets, 233
coated carrier
methacrylate film, bonding, porous glass, 953
coatings
alkylamine–heparin complexes, *in vitro* non-thrombogenicity, *ex vivo* test, blend, 1145
collagen
abdominal wall, image analysis, tissue repair, 378
tumorigenesis, polyethylenes, 546
chitosan, spectroscopy, chromatography, 930
wound dressings, artificial skin, freeze dried, 1030
bone, mineral content, 978
p(HEMA), composite implant, 1105
collagen gel
collagen sponge, fibroblasts, 749
collagen immobilization
polyethylene, biocompatibility, tissue adhesion, 209
collagen sponge
hydroxyapatite, calcification, osteoblasts, 97
fibroblasts, collagen gel, 749
colour change
hydroxyapatite, manganese, electron spin resonance spectra, 969
complement activation
PMMA, intraocular lens, heparin attachment, 189
polystyrene, sulphonate, haemocompatibility, 203
biomaterials, blood compatibility, polystyrene, 665
composite implant
p(HEMA), collagen, 1105
composite materials
mechanical properties, synthetic fibre, Young's modulus, 127
hydroxyapatite, polyethylene, mechanical properties, finite element analysis, 985
composites
silicones, hydrogels, mechanical properties, 1051
p(HEMA), allografting, periodontal disease, 1109
compressive strength
dental materials, glass ionomer cement, setting, erosion, 349
contact angle
low density polyethylene, surface characterization, platelet adhesion, 657
contact lenses
hydrogels, surface roughness, atomic force microscopy, 279
hydrogels, cornea, 1080
contraction
polymerization, conversion, photopolymerization, methacrylates, 871
controlled release
poly(ethylene oxide), drug delivery, diffusion, 83
freeze-thaw, polymerization, macroporous beads, FITC-dextrans, 16
magnetic fields, drug delivery, sustained release, 621
drug delivery, poly[bis(glycine ethyl ester) phosphazene], biodegradable polymers, 491
drug delivery, press-coated tablets, polymeric barrier layer, press coated tablet, 1017
controlled release study
heart valves, calcification, pericardium, pre-incubation, 705
conversion
polymerization, contraction, photopolymerization, methacrylates, 871
copolymer
cell seeding, critical solution temperature, 153
copolymerization
platelets, fibroblasts, cell growth, 57
copolymers
nanoparticles, polystyrene, protein adsorption, blood circulation half-life, 823
copolypeptide membrane
bromelain, swelling, tensile properties, 497
coralline
hydroxyapatite, mechanical properties, bone ingrowth, 341
cornea
hydrogels, contact lenses, 1080
corrosion
surgical implants, alloys, 529
cortical bone
fracture fixation, poly-L-lactide, 305
creep fracture
Delrin®, stress cracking, saline solution, 132
critical solution temperature
cell seeding, copolymer, 153
cross-linking
pHEMA, pulsed field gradient NMR, water diffusion, 945
crystalline structure
hydroxyapatite, temperature variation, 437
crystallization
hydroxyapatite, plasma-sprayed coating, bone implant, 578
hydroxyapatite, precipitation, silica gel, 963
CSF shunt
bacterial adhesion, staphylococci, silicone rubber, 184
cyanoacrylate
adhesive, wound closure, 737
cytotoxicity
cell-biomaterial interactions, mtt assay, 359
polyimides, protein adsorption, clotting time, haemolysis, 627
Dacron®
knee-joint prosthesis, teflon®, meniscectomy, proteoglycan, 163
Delrin®
prostheses, hips, biocompatibility, 285
creep fracture, stress cracking, saline solution, 132
demineralized human bone graft
sterilization, ethylene oxide, osteoinduction capacity, 994
dental cement
dental prostheses, zinc, 770
dental implants
isoelastic behavious, titanium alloy, 887
dental materials
chitosan, bone regeneration, 39
permeability, mechanical properties, lasers, 313
glass ionomer cement, setting, erosion, compressive strength, 349
lactic acid jet test, erosion, glass ionomer cements, radiopacity, 551
mechanical properties, Young's modulus, poly(methyl methacrylate), 781
fluorides, glass-ionomer cements, 636
elastic modulus, fracture toughness, mechanical properties, 999
plaster, mechanical properties, 1186
dental prostheses
dental cement, zinc, 770
denture-base resin
fibre reinforcement, processing shrinkage, 775
diffusion
poly(ethylene oxide), controlled release, drug delivery, 83
hydrogels, poly(ethylene oxide), 1059
hydrogels, poly(ethylene oxide), partition, 1117
drug delivery
poly(ethylene oxide), controlled release,

diffusion, 83
microspheres, radiolabelling, surface charge, 5
biodegradation, β-glucosidases, polymer synthesis, 483
controlled release, magnetic fields, sustained release, 621
controlled release, poly[bis(glycine ethyl ester) phosphazene], biodegradable polymers, 491
biodegradation, DL-lactic acid, calcitonin analogue, 797
chitosan beads, ampicillin, 939
controlled release, press-coated tablets, polymeric barrier layer, press coated tablet, 1017
ear mould
ear polymers, clinical application, Otana, 21
ear polymers
ear mould, clinical application, Otana, 21
elastic modulus
fracture toughness, dental materials, mechanical properties, 999
electrets
surface charge, fibroblasts, protein adsorption, protein synthesis, 854
electromechanical properties
bone, 331
electron spin resonance spectra
hydroxyapatite, manganese, colour change, 969
endothelial cells
albumin gelatin, prostacyclins, 503
cell adhesion, polyurethanes, 958
enhancement
bone growth, implants, 570
epichlorohydrin
immobilization, pHEMA, glucose oxidase, 803
erosion
dental materials, glass ionomer cement, setting, compressive strength, 349
dental materials, lactic acid jet test, glass ionomer cements, radiopacity, 551
ESEM
p(HEMA), cellular invasion, fibroblast/collagen attachment, 26
ethylene oxide
sterilization, demineralized human bone graft, osteoinduction capacity, 994
ex vivo test
alkylamine–heparin complexes, *in vitro* non-thrombogenicity, blend, coatings, 1145
explant
vascular prostheses, PTFE grafts, healing characteristic, 678
external fixator pins
shear stress, photoelastic technique, 876
bending stiffness, surgical implants, 1036
FITC-dextrans
freeze-thaw, polymerization, macroporous beads, controlled release, 16
fatigue
bovine pericardium, cardiac bioprostheses, 76
fatty acid methyl esters
bacterial adhesion, poly(methyl methacrylate), heparinization, 1161
fibre orientation
fibronectin, scanning electron microscopy, fibroblasts, 743
fibre reinforcement
denture-base resin, processing shrinkage, 775
fibrinogen
platelets, thrombin, PMMA, glass, 137
polytetrafluoroethylene, thrombin, albumin, 365
fibroblast/collagen attachment
p(HEMA), ESEM, cellular invasion, 26
fibroblasts
copolymerization, platelets, cell growth, 57
cell adhesion, fibronectin, cell spreading, 243
collagen sponge, collagen gel, 749
fibronectin, scanning electron microscopy, fibre orientation, 743
electrets, surface charge, protein adsorption, protein synthesis, 854
fibronectin
cell adhesion, fibroblasts, cell spreading, 243
scanning electron microscopy, fibre orientation, fibroblasts, 743
cell adhesion, polymer surfaces, surface modification, 845
finite element analysis
composite materials, hydroxyapatite, polyethylene, mechanical properties, 985
fixation
hydrogels, prosthesis, 1098
fluid phase
nerve regeneration, leucocytes, leukotriene B_4, interleukin-1, 1180
fluorides
dental materials, glass-ionomer cements, 636
fracture
poly(methyl methacrylate), microstructure, 1165
fracture fixation
cortical bone, poly-L-lactide, 305
fracture healing
osteogenesis, cell transplantation, 115
bone growth, mechanical stimulation, tissue differentiation, 563
fracture properties
titanium compact, sintering, pore size, 407
fracture toughness
elastic modulus, dental materials, mechanical properties, 999
free radicals
poly(caprolactone), chemical hydrolysis, *in vivo* degradation, 648
freeze dried
collagen, wound dressings, artificial skin, 1030
freeze-thaw
polymerization, macroporous beads, FITC-dextrans, controlled release, 16
friction testing
catheters, hydrophilic coating, surface analysis, 465
FTIR spectroscopy
polyethylene, oxidation, total joint replacement, 643
gene expression
osteoblasts, osteonectin, osteopontin, messenger RNA, 111
glass
platelets, fibrinogen, thrombin, PMMA, 137
glass ionomer cement
dental materials, setting, erosion, compressive strength, 349
glass ionomer cements
dental materials, lactic acid jet test, erosion, radiopacity, 551
biocompatibility, 906
glass-ionomer cements
dental materials, fluorides, 636
glucose oxidase
immobilization, epichlorohydrin, pHEMA, 803
pHEMA, bioreactor, immobilization, 809
β-glucosidases
drug delivery, biodegradation, polymer synthesis, 483
glutaraldehyde fixation
trivalent metal ions, calcification, 1003
graft polymerization
surface modification, protein adsorption, platelet adhesion, 442
grafting
bone, implants, stereological procedure, bone morphometry, 507
vascular prostheses, polytetrafluoroethylene, blood conduit, 694
haemocompatibility
Ti alloy, 122
ventricular assist device, titanium nitride, surface characterization, 169
polystyrene, complement activation, sulphonate, 203
titanium nitride, leucocyte adhesion, protein adsorption, 712
haemolysis
ceramic powders, cardiovascular devices, left ventricular assist devices, 107
polyimides, cytotoxicity, protein adsorption, clotting time, 627
haemosorbent
protein inhibitor, immobilization, 51
hard segment
polyurethanes, biostability, 449
healing characteristic
vascular prostheses, PTFE grafts, explant, 678
heart valves
calcification, pericardium, pre-incubation, controlled release study, 705
heat treatment
hydroxyapatite, surface coating, titanium alloy, plasma spraying, 64
HEMA
cell attachment, silicone rubber, polymerization, ppHEMA, 591
HEMA–MMA
microencapsulation, hepatocytes, urea, 615
hemiarthroplasty
prosthesis fit, PMMA, 522
heparin attachment
PMMA, complement activation, intraocular lens, 189
heparinization
bacterial adhesion, poly(methyl methacrylate), fatty acid methyl esters, 1161
hepatocytes
microencapsulation, HEMA–MMA, urea, 615
hip joint prosthesis
alumina, wear, tissue reaction, 583
hips
Delrin®, prostheses, biocompatibility, 285
hirudin
platelet, adhesion, platelet aggregation, artificial surface, thrombin, 865
histology
cartilage, polyester, polytetrafluoroethylene, mechanical properties, 513
Hofmann degradation
polyethylene, surface graft polymerization, acrylamide, alkaline hydrolysis, 817
hyaluronan ester
biocompatibility, biodegradation, 1154
hyaluronic acid
neutrophil polarization, neutrophil chemokinesis, 1135
hydrogels
contact lenses, surface roughness, atomic force microscopy, 279
microcapsules, poly(ethylene glycol), biocompatibility, photopolymerization, 1008
diffusion, poly(ethylene oxide), 1059
neuroregeneration, transplantation, 1056
membranes, polymerization, porosity, 1064
silicones, composites, mechanical properties, 1051
biocompatibility, hydrophobicity, 1073
fixation, prosthesis, 1098
adsorption, cell adhesion, 1046
contact lenses, cornea, 1080
poly(ethylene oxide), partition, diffusion, 1117
hydrophilic coating
catheters, surface analysis, friction testing, 465
hydrophilic polymer
platelets, polyester, radioimmunoassay, 588
hydrophobicity
biocompatibility, hydrogels, 1073
hydroxyapatite
surface coating, titanium alloy, plasma spraying, heat treatment, 64
tensile properties, 69
X-ray diffractometry, plasma spraying, 225
collagen sponge, calcification, osteoblasts, 97
osteoclasts, 91
calcium phosphate, ceramics, 216
ceramics, calcium phosphates, 299
coralline, mechanical properties, bone ingrowth, 341
bacterial adhesion, ceramics, poly(L-lactide), 383
osteoblast, bone repair, cell-polymer matrix, 263
temperature variation, crystalline structure, 437
ceramics, tricalcium phosphate, osseointegration, 423
plasma-sprayed coating, bone implant, crystallization, 578
joint replacement, wear, titanium alloy, 723
polyhydroxybutyrate, orthopaedic polymer, bone formation, 793
prostheses, alumina, mineralization, X-ray diffraction, 900
interface, microscopy, 973
precipitation, silica gel, crystallization, 963
manganese, colour change, electron spin resonance spectra, 969
composite materials, polyethylene, mechanical properties, finite element analysis, 985
hydroxyapatite coating
plasma spraying, amorphous phase, 1140
image analysis
collagen, abdominal wall, tissue repair, 378
immobilization
haemosorbent, protein inhibitor, 51
epichlorohydrin, pHEMA, glucose oxidase, 803
glucose oxidase, pHEMA, bioreactor, 809
implants
bone, grafting, stereological procedure, bone morphometry, 507
bone growth, enhancement, 570
prostheses, bone, 883

bone–material interactions, ceramics, interface, 1173
in vitro non-thrombogenicity
alkylamine–heparin complexes, *ex vivo* test, blend, coatings, 1145
in vivo degradation
poly(caprolactone), free radicals, chemical hydrolysis, 648
indomethacin
bone graft, titanium implant, microradiography, 156
interface
hydroxyapatite, microscopy, 973
bone–material interactions, ceramics, implants, 1173
interleukin-1
nerve regeneration, leucocytes, leukotriene B_4, fluid phase, 1180
intraocular lens
PMMA, complement activation, heparin attachment, 189
polyurethanes, networks, ophthalmology, keratoprostheses, 1089
intravenous cannulae
biocompatibility, thrombophlebitis, laser Doppler flowmeter, 861
isoelastic behaviour
dental implants, titanium alloy, 887
joint
titanium, arthritis, morphology, 413
joint replacement
wear, titanium alloy, hydroxyapatite, 723
keratoprostheses
polyurethanes, networks, ophthalmology, intraocular lens, 1089
knee-joint prosthesis
Dacron®, Teflon®, meniscectomy, proteoglycon, 163
DL-lactic acid
biodegradation, drug delivery, calcitonin analogue, 797
lactic acid jet test
dental materials, erosion, glass ionomer cements, radiopacity, 551
laser Doppler flowmeter
intravenous cannulae, biocompatibility, thrombophlebitis, 861
lasers
dental materials, permeability, mechanical properties, 313
left ventricular assist devices
haemolysis, ceramic powders, cardiovascular devices, 107
leucocyte adhesion
titanium nitride, haemocompatibility, protein adsorption, 712
leucocytes
nerve regeneration, leukotriene B_4, interleukin-1, fluid phase, 1180
leukotriene B_4
nerve regeneration, leucocytes, interleukin-1, fluid phase, 1180
low-density polyethylene
surface characterization, platelet adhesion, contact angle, 657
macrophage activity
antibiotic property, PMMA, 609
macroporous beads
freeze-thaw, polymerization, FITC-dextrans, controlled release, 16
magnetic fields
controlled release, drug delivery, sustained release, 621
manganese
hydroxyapatite, colour change, electron spin resonance spectra, 969
mechanical properties
composite materials, synthetic fibre, Young's modulus, 127
bone, xenograft, Young's modulus, 337
dental materials, permeability, lasers, 313
hydroxyapatite, coralline, bone ingrowth, 341
cartilage, polyester, polytetrafluoroethylene, histology, 513
dental materials, Young's modulus, poly(methyl methacrylate), 781
elastic modulus, fracture toughness, dental materials, 999
silicones, hydrogels, composites, 1051
composite materials, hydroxyapatite, polyethylene, finite element analysis, 985
dental materials, plaster, 1186
mechanical stimulation
bone growth, fracture healing, tissue differentiation, 563
membranes
hydrogels, polymerization, porosity, 1064
meniscectomy
knee-joint prosthesis, Dacron®, Teflon®, proteoglycan, 163
messenger RNA
osteoblasts, osteonectin, osteopontin, gene expression, 111
methacrylate film
coated carrier, bonding, porous glass, 953
methacrylates
polymerization, contraction, conversion, photopolymerization, 871
methylpyrrolidinone chitosan
bone growth, chitosan, osteoconduction, 925
microbeads
polylactic acid, biodegradation, bone fillers, 44
microcapsules
poly(ethylene glycol), biocompatibility, hydrogels, photopolymerization, 1008
microencapsulation
hepatocytes, HEMA–MMA, urea, 615
polyethylene glycol, synthesis, block copolymer, 755
thrombogenicity, platelets, 1127
microradiography
indomethacin, bone graft, titanium implant, 156
microscopy
hydroxyapatite, interface, 973
microspheres
radiolabelling, drug delivery, surface charge, 5
poly (DL-lactide-co-glycolide), tissue reaction, biodegradation, 470
microstructure
poly(methylmethacrylate), fracture, 1165
mineral content
bone, collagen, 978
mineralization
prostheses, hydroxyapatite, alumina, X-ray diffraction, 900
morphology
titanium, joint, arthritis, 413
MTT assay
cell–biomaterial interactions, cytotoxicity, 359
nanoparticles
polystyrene, copolymers, protein adsorption, blood circulation half-life, 823
nerve regeneration
leucocytes, leukotriene B_4, interleukin-1, fluid phase, 1180
networks
polyurethanes, ophthalmology, intraocular lens, keratoprostheses, 1089
neuroregeneration
hydrogels, transplantation, 1056
neutrophil chemokinesis
hyaluronic acid, neutrophil polarization, 1135
neutrophil polarization
hyaluronic acid, neutrophil chemokinesis, 1135
ophthalmology
polyurethanes, networks, intraocular lens, keratoprostheses, 1089
orthopaedic polymer
hydroxyapatite, polyhydroxybutyrate, bone formation, 793
osseointegration
ceramics, hydroxyapatite, tricalcium phosphate, 423
osteoblast
hydroxyapatite, bone repair, cell-polymer matrix, 263
osteoblasts
collagen sponge, hydroxyapatite, calcification, 97
osteonectin, osteopontin, messenger RNA, gene expression, 111
bone cement, 917
osteoclasts
hydroxyapatite, 91
osteoconduction
bone cement, tetracalcium phosphate, biocompatibility, 403
bone growth, chitosan, methylpyrrolidinone chitosan, 925
osteogenesis
cell transplantation, fracture healing, 115
osteoinduction
bone growth, bone morphogenetic protein, squalane, 575
osteoinduction capacity
sterilization, ethylene oxide, demineralized human bone graft, 994
osteonectin
osteoblasts, osteopontin, messenger RNA, gene expression, 111
osteopontin
osteoblasts, osteonectin, messenger RNA, gene expression, 111
Otana
ear polymers, ear mould, clinical application, 21
oxidation
polyethylene, FTIR spectroscopy, total joint replacement, 643
ozonization
trypsin immobilization, PET fibres, poly(acrylic acid) chains, 763
p(HEMA)
ESEM, cellular invasion, fibroblast/collagen attachment, 26
collagen, composite implant, 1105
composites, allografting, periodontal disease, 1109
pHEMA
pulsed field gradient NMR, cross-linking, water diffusion, 945
immobilization, epichlorohydrin, glucose oxidase, 803
glucose oxidase, bioreactor, immobilization, 809
partition
hydrogels, poly(ethylene oxide), diffusion, 1117
PCBM
polylactides, transplantation, 729
PEO grafting
polyurethane copolymer, blood compatibility, surface analysis, 537
pericardium
heart valves, calcification, pre-incubation, controlled release study, 705
periodontal disease
p(HEMA), composites, allografting, 1109
permeability
dental materials, mechanical properties, lasers, 313
PET fibres
trypsin immobilization, poly(acrylic acid) chains, ozonization, 763
photoelastic technique
shear stress, external fixator pins, 876
photopolymerization
polymerization, contraction, conversion, methacrylates, 871
microcapsules, poly(ethylene glycol), biocompatibility, hydrogels, 1008
plasma
protein immobilization, surface analysis, PMMA, 787
plasma proteins
protein adsorption, serum proteins, polystyrene microspheres, poloxamers, 193
plasma spraying
hydroxyapatite, surface coating, titanium alloy, heat treatment, 64
hydroxyapatite, X-ray diffractometry, 225
hydroxyapatite coating, amorphous phase, 1140
plasma-sprayed coating
hydroxyapatite, bone implant, crystallization, 578
plaster
dental materials, mechanical properties, 1186
platelet adhesion
surface modification, graft polymerization, protein adsorption, 442
low density polyethylene, surface characterization, contact angle, 657
platelet aggregation, artificial surface, hirudin, thrombin, 865
platelet aggregation
platelet adhesion, artificial surface, hirudin, thrombin, 865
platelets
copolymerization, fibroblasts, cell growth, 57
fibrinogen, thrombin, PMMA, glass, 137
blood–material interactions, coagulation proteins, 233
polyester, hydrophilic polymer, radioimmunoassay, 588
thrombogenicity, microencapsulation, 1127
PMMA
platelets, fibrinogen, thrombin, glass, 137
complement activation, intraocular lens, heparin attachment, 189

hemiarthroplasty, prosthesis fit, 522
macrophage activity, antibiotic property, 609
plasma, protein immobilization, surface analysis, 787
poloxamers
protein adsorption, plasma proteins, serum proteins, polystyrene microspheres, 193
poly(D,L-lactide-co-glycolide)
microspheres, tissue reaction, biodegradation, 470
poly(DL-lactic co-glycolic acid)
biodegradation, poly(L-lactic acid), tissue engineering, 323
poly(L-lactic acid)
biodegradation, poly(L-lactic co-glycolic acid), tissue engineering, 323
poly(L-lactic acid) device
cell transplantation, cell seeding, biodegradable polymer, 270
poly(L-lactide)
biodegradation, chromatography, 291
bacterial adhesion, ceramics, hydroxyapatite, 383
poly(α-hydroxy acid)
bone-derived growth factors, artificial bone, bone regeneration, 177
poly(acrylic acid) chains
trypsin immobilization, PET fibres, ozonization, 763
poly(caprolactone)
free radicals, chemical hydrolysis, *in vivo* degradation, 648
poly(dimethyl siloxane)
surface characterization, polyethylene, PVC, 148
poly(ethylene glycol)
microcapsules, biocompatibility, hydrogels, photopolymerization, 1008
poly(ethylene oxide)
controlled release, drug delivery, diffusion, 83
hydrogels, diffusion, 1059
hydrogels, partition, diffusion, 1117
poly(methyl methacrylate)
dental materials, mechanical properties, Young's modulus, 781
poly(methyl methacrylate)
bacterial adhesion, heparinization, fatty acid methyl esters, 1161
fracture, microstructure, 1165
poly-L-lactide
cortical bone, fracture fixation, 305
poly[bis(glycine ethyl ester)phosphazene]
drug delivery, controlled release, biodegradable polymers, 491
polyester
cartilage, polytetrafluoroethylene, mechanical properties, histology, 513
platelets, hydrophilic polymer, radioimmunoassay, 588
polyethylene
collagen immobilization, biocompatibility, tissue adhesion, 209
surface characterization, poly(dimethyl siloxane), PVC, 148
prosthetic ligaments, T-cell populations, acid phosphatase, 255
oxidation, FTIR spectroscopy, total joint replacement, 643
surface graft polymerization, acrylamide, Hofmann degradation, alkaline hydrolysis, 817
composite materials, hydroxyapatite, mechanical properties, finite element analysis, 985
polyethylene glycol
polyphosphazene, surface analysis, polymer composition, 430
microencapsulation, synthesis, block copolymer, 755
polyethylenes
tumorigenesis, collagen, 546
polyhydroxybutyrate
hydroxyapatite, orthopaedic polymer, bone formation, 793
polyimides
cytotoxicity, protein adsorption, clotting time, haemolysis, 627
polylactic acid
microbeads, biodegradation, bone fillers, 44
biomembranes, tissue regeneration, resorption, 353
polylactides
biodegradation, biocompatibility, tumorigenesis, 671
PCBM, transplantation, 729
polymer composition
polyphosphazene, polyethylene glycol, surface analysis, 430
polymer surfaces
bacteria, bacterial adhesion, rinsing, 605
cell adhesion, surface modification, fibronectin, 845
polymer synthesis
drug delivery, biodegradation, β-glucosidases, 483
polymeric barrier layer
drug delivery, controlled release, press-coated tablets, press coated tablet, 1017
polymerization
freeze-thaw, macroporous beads, FITC-dextrans, controlled release, 16
cell attachment, silicone rubber, HEMA, ppHEMA, 591
contraction, conversion, photopolymerization, methacrylates, 871
hydrogels, membranes, porosity, 1064
polyphosphazene
polyethylene glycol, surface analysis, polymer composition, 430
polypropylene
albumin, surface modification, thermal activation, 392
polystyrene
complement activation, sulphonate, haemocompatibility, 203
biomaterials, blood compatibility, complement activation, 665
nanoparticles, copolymers, protein adsorption, blood circulation half-life, 823
polystyrene microspheres
protein adsorption, plasma proteins, serum proteins, poloxamers, 193
polytetrafluoroethylene
cartilage, polyester, mechanical properties, histology, 513
thrombin, fibrinogen, albumin, 365
vascular prostheses, grafting, blood conduit, 694
polyurethane copolymer
PEO grafting, blood compatibility, surface analysis, 537
polyurethanes
hard segment, biostability, 449
biocompatibility, biodegradation, adhesion, wound dressings, 1024
cell adhesion, endothelial cells, 958
networks, ophthalmology, intraocular lens, keratoprostheses, 1089
pore size
titanium compact, sintering, fracture properties, 407
porosity
hydrogels, membranes, polymerization, 1064
porous glass
coated carrier, methacrylate film, bonding, 953
ppHEMA
cell attachment, silicone rubber, hema, polymerization, 591
pre-incubation
heart valves, calcification, pericardium, controlled release study, 705
precipitation
hydroxyapatite, silica gel, crystallization, 963
press-coated tablet
drug delivery, controlled release, press-coated tablets, polymeric barrier layer, 1017
processing shrinkage
denture-base resin, fibre reinforcement, 775
prostacyclins
albumin gelatin, endothelial cells, 503
prostheses
delrin®, hips, biocompatibility, 285
implants, bone, 883
hydroxyapatite, alumina, mineralization, X-ray diffraction, 900
prosthesis
fixation, hydrogels, 1098
prosthesis fit
hemiarthroplasty, PMMA, 522
prosthetic ligaments
T-cell populations, polyethylene, acid phosphatase, 255
protein adsorption
plasma proteins, serum proteins, polystyrene microspheres, poloxamers, 193
surface modification, graft polymerization, platelet adhesion, 442
titanium nitride, haemocompatibility, leucocyte adhesion, 712
polyimides, cytotoxicity, clotting time, haemolysis, 627
nanoparticles, polystyrene, copolymers, blood circulation half-life, 823
blood–material interaction, sulphonated polyurethanes, 834
electrets, surface charge, fibroblasts, protein synthesis, 854
protein immobilization
plasma, surface analysis, PMMA, 787
protein inhibitor
haemosorbent, immobilization, 51
protein synthesis
electrets, surface charge, fibroblasts, protein adsorption, 854
proteoglycan
knee-joint prosthesis, Dacron®, Teflon®, meniscectomy, 163
PTFE grafts
vascular prostheses, healing characteristic, explant, 678
pulsed field gradient NMR
pHEMA, cross-linking, water diffusion, 945
PVC
surface characterization, poly(dimethyl siloxane), polyethylene, 148
radioimmunoassay
platelets, polyester, hydrophilic polymer, 588
radiolabelling
microspheres, drug delivery, surface charge, 5
radiopacity
dental materials, lactic acid jet test, erosion, glass ionomer cements, 551
resorption
biomembranes, tissue regeneration, polylactic acid, 353
rinsing
bacteria, bacterial adhesion, polymer surfaces, 605
saline solution
Delrin®, creep fracture, stress cracking, 132
scanning electron microscopy
fibronectin, fibre orientation, fibroblasts, 743
serum proteins
protein adsorption, plasma proteins, polystyrene microspheres, poloxamers, 193
setting
dental materials, glass ionomer cement, erosion, compressive strength, 349
shear stress
photoelastic technique, external fixator pins, 876
silica gel
hydroxyapatite, precipitation, crystallization, 963
silicone rubber
CSF shunt, bacterial adhesion, staphylococci, 184
voice prostheses, biodegradation, yeast adhesion, 459
cell attachment, hema, polymerization, ppHEMA, 591
silicones
hydrogels, composites, mechanical properties, 1051
sintering
titanium compact, pore size, fracture properties, 407
skin substitute
biodegradable polymers, cell culture, biocompatibility, 598
spectroscopy
chitosan, collagen, chromatography, 930
squalane
bone growth, bone morphogenetic protein, osteoinduction, 575
stability
titanium, titania, biocompatibility, 229
staphylococci
CSF shunt, bacterial adhesion, silicone rubber, 184
stereological procedure
bone, grafting, implants, bone morphometry, 507
sterilization
ethylene oxide, demineralized human bone graft, osteoinduction capacity, 994
stress cracking
Delrin®, creep fracture, saline solution, 132
sulphonate
polystyrene, complement activation, haemocompatibility, 203
sulphonated polyurethanes
protein adsorption, blood–material interaction,

834
surface analysis
polyphosphazene, polyethylene glycol, polymer composition, 430
polyurethane copolymer, PEO grafting, blood compatibility, 537
catheters, hydrophilic coating, friction testing, 465
plasma, protein immobilization, PMMA, 787
titanium, TiOOH, 893
surface characterization
poly(dimethyl siloxane), polyethylene, PVC, 148
ventricular assist device, titanium nitride, haemocompatibility, 169
low density polyethylene, platelet adhesion, contact angle, 657
surface charge
microspheres, radiolabelling, drug delivery, 5
electrets, fibroblasts, protein adsorption, protein synthesis, 854
surface coating
hydroxyapatite, titanium alloy, plasma spraying, heat treatment, 64
surface graft polymerization
polyethylene, acrylamide, Hofmann degradation, alkaline hydrolysis, 817
surface modification
albumin, polypropylene, thermal activation, 392
graft polymerization, protein adsorption, platelet adhesion, 442
cell adhesion, polymer surfaces, fibronectin, 845
surface roughness
contact lenses, hydrogels, atomic force microscopy, 279
surgical implants
alloys, corrosion, 529
bending stiffness, external fixator pins, 1036
sustained release
controlled release, magnetic fields, drug delivery, 621
swelling
bromelain, copolypeptide membrane, tensile properties, 497
synthesis
microencapsulation, polyethylene glycol, block copolymer, 755
synthetic fibre
mechanical properties, composite materials, Young's modulus, 127
T-cell populations
prosthetic ligaments, polyethylene, acid phosphatase, 255
Teflon®
knee-joint prosthesis, Dacron®, meniscectomy, proteoglycan, 163
temperature variation
hydroxyapatite, crystalline structure, 437
tensile properties
hydroxyapatite, 69
bromelain, copolypeptide membrane, swelling, 497
tetracalcium phosphate
bone cement, biocompatibility, osteoconduction, 403
thermal activation
albumin, polypropylene, surface modification, 392
thrombin
platelets, fibrinogen, PMMA, glass, 137
polytetrafluoroethylene, fibrinogen, albumin, 365
platelet adhesion, platelet aggregation, artificial surface, hirudin, 865
thrombogenicity
platelets, microencapsulation, 1127
thrombophlebitis
intravenous cannulae, biocompatibility, laser Doppler flowmeter, 861
Ti alloy
haemocompatibility, 122
TiOOH
titanium, surface analysis, 893
tissue adhesion
collagen immobilization, polyethylene, biocompatibility, 209
tissue differentiation
bone growth, mechanical stimulation, fracture healing, 563
tissue engineering
biodegradation, poly(L-lactic acid), poly(DL-lactic co-glycolic acid), 323
tissue reaction
poly(D,L-lactide-co-glycolide), microspheres, biodegradation, 470
hip joint prosthesis, alumina, wear, 583
tissue regeneration
biomembranes, polylactic acid, resorption, 353
tissue repair
collagen, abdominal wall, image analysis, 378
titania
titanium, biocompatibility, stability, 229
titanium
joint, arthritis, morphology, 413
titania, biocompatibility, stability, 229
surface analysis, TiOOH, 893
titanium alloy
hydroxyapatite, surface coating, plasma spraying, heat treatment, 64
joint replacement, wear, hydroxyapatite, 723
dental implants, isoelastic behavious, 887
titanium compact
sintering, pore size, fracture properties, 407
titanium implant
indomethacin, bone graft, microradiography, 156
titanium nitride
ventricular assist device, surface characterization, haemocompatibility, 169
haemocompatibility, leucocyte adhesion, protein adsorption, 712
total joint replacement
polyethylene, oxidation, FTIR spectroscopy, 643
transplantation
polylactides, PCBM, 729
hydrogels, neuroregeneration, 1056
tricalcium phosphate
ceramics, hydroxyapatite, osseointegration, 423
trivalent metal ions
calcification, glutaraldehyde fixation, 1003
trypsin immobilization
PET fibres, poly(acrylic acid) chains, ozonization, 763
tumorigenesis
polylactides, biodegradation, biocompatibility, 671
collagen, polyethylenes, 546
urea
microencapsulation, hepatocytes, HEMA–MMA, 615
vascular prostheses
PTFE grafts, healing characteristic, explant, 678
polytetrafluoroethylene, grafting, blood conduit, 694
ventricular assist device
titanium nitride, surface characterization, haemocompatibility, 169
voice prostheses
silicone rubber, biodegradation, yeast adhesion, 459
water diffusion
pHEMA, pulsed field gradient NMR, cross-linking, 945
wear
hip joint prosthesis, alumina, tissue reaction, 583
joint replacement, titanium alloy, hydroxyapatite, 723
wound closure
adhesive, cyanoacrylate, 737
wound dressings
biocompatibility, biodegradation, polyurethanes, adhesion, 1024
collagen, artificial skin, freeze dried, 1030
X-ray diffraction
prostheses, hydroxyapatite, alumina, mineralization, 900
X-ray diffractometry
hydroxyapatite, plasma spraying, 225
xenograft
mechanical properties, bone, Young's modulus, 337
yeast adhesion
voice prostheses, silicone rubber, biodegradation, 459
Young's modulus
mechanical properties, composite materials, synthetic fibre, 127
mechanical properties, bone, xenograft, 337
dental materials, mechanical properties, poly(methyl methacrylate), 781
zinc
dental prostheses, dental cement, 770